

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



1.9422  
C 8258  
cop. 2

LIBRARY  
RECEIVED  
JUL 27 1951  
U.S. DEPT. OF AGRICULTURE

UNITED STATES DEPARTMENT OF AGRICULTURE  
PRODUCTION AND MARKETING ADMINISTRATION  
COTTON BRANCH  
BAKERSFIELD, CALIFORNIA

VOLUME XIX, No. 7

DECEMBER 20, 1945

COTTON QUALITY REPORT FOR GINNINGS THROUGH DECEMBER 12, 1945

AMERICAN-EGYPTIAN COTTON (SXP)

BASED ON TOTAL AMERICAN-EGYPTIAN (SXP) GINNINGS THROUGH DECEMBER 12, THE UNITED STATES DEPARTMENT OF AGRICULTURE REPORTS THAT ALMOST 44 PERCENT OF THE CURRENT CROP WAS GRADES 1 AND 1-1/2, ABOUT 54 PERCENT WAS GRADES 2 AND 2-1/2 AND SLIGHTLY UNDER 2 PERCENT WAS GRADE 3 AND LOWER. THROUGH MID-DECEMBER, 1944 THESE GRADE CATEGORIES ACCOUNTED FOR APPROXIMATELY 45 PERCENT, 35 PERCENT AND 20 PERCENT RESPECTIVELY OF THE GINNINGS. THE PROPORTION OF THE VARIOUS STAPLES WAS UNCHANGED FROM A YEAR AGO WITH LENGTHS 1-7/16" AND SHORTER CONSTITUTING ABOUT 25 PERCENT AND 1-1/2" AND LONGER APPROXIMATELY 75 PERCENT OF THE GINNINGS DURING BOTH SEASONS.

ARIZONA-CALIFORNIA: THERE WAS A MUCH SMALLER PROPORTION OF GRADES 1 AND 1-1/2 IN ARIZONA-CALIFORNIA THIS SEASON THAN LAST, ONLY ABOUT 24 PERCENT AGAINST 36 PERCENT IN 1944. CURRENT GINNINGS ALSO CONTAINED ABOUT 74 PERCENT GRADES 2 AND 2-1/2 AND 2 PERCENT GRADE 3 AND LOWER COMPARED WITH APPROXIMATELY 33 PERCENT AND 31 PERCENT RESPECTIVELY A YEAR AGO. THROUGH MID-DECEMBER, STAPLES 1-1/2" AND LONGER CONSTITUTED 65 PERCENT OF THE CURRENT CROP AND ALMOST 61 PERCENT LAST SEASON.

NEW MEXICO - TEXAS, DISTRICT 6: ONLY LIGHT SCATTERED GINNINGS WERE REPORTED DURING THE FIRST HALF OF DECEMBER AND THE QUALITY OF THE CURRENT NEW MEXICO-TEXAS, DISTRICT 6 CROP WAS UNCHANGED FROM THE PREVIOUS RELEASE. ABOUT 92 PERCENT OF THIS SEASON'S GINNINGS THROUGH DECEMBER 12 WAS GRADES 1 AND 1-1/2 AND 8 PERCENT WAS GRADE 2. A YEAR AGO APPROXIMATELY 58 PERCENT WAS OF THE TWO TOP GRADES, ABOUT 39 PERCENT WAS 2 AND 2-1/2 AND 3 PERCENT WAS GRADE 3 AND LOWER. APPROXIMATELY 95 PERCENT OF GINNINGS DURING BOTH SEASONS WAS 1-1/2" AND LONGER IN STAPLE.

ACCORDING TO THE BUREAU OF THE CENSUS, AMERICAN-EGYPTIAN (SXP) GINNINGS THROUGH DECEMBER 12, 1945 TOTALED 3461 BALES AND THROUGH THE SAME DATE IN 1944 TOTALED 5691 BALES.

## ESTIMATED GRADE AND STAPLE LENGTH OF AMERICAN-EGYPTIAN (SXP) COTTON GINNED

GRADE AND STAPLE LENGTH	ARIZONA-CALIFORNIA				NEW MEXICO & DIST. 6 OF TEXAS				TOTAL			
	DECEMBER 1 - 12		SEASON THRU DECEMBER 12		DECEMBER 1 - 12		SEASON THRU DECEMBER 12		DECEMBER 1 - 12		SEASON THRU DECEMBER 12	
	1944 PCT.	1945 PCT.	1944 PCT.	1945 PCT.	1944 PCT.	1945 PCT.	1944 PCT.	1945 PCT.	1944 PCT.	1945 PCT.	1944 PCT.	1945 PCT.
GRADE												
1 . . . . .	.2		10.6	4.2	.8		26.6	34.8	.5	4.3	17.1	13.2
1-1/2 . . . . .	.8	3.1	25.5	19.3	6.4		31.3	57.4	3.7	10.2	27.8	30.7
2 . . . . .	2.4	59.1	13.2	61.2	52.6		30.4	7.8	28.0	52.6	23.1	45.3
2-1/2 . . . . .	8.6	25.3	14.4	12.9	28.5		8.7		18.8	22.1	12.1	9.1
3 . . . . .	25.9	12.2	15.5	2.3	10.4		2.7		18.0	10.6	10.3	1.6
3-1/2 . . . . .	33.8	.3	9.8	.1	1.1		.3		17.1	.2	6.0	.1
4 . . . . .	24.2		5.3		.2		.2		11.9		3.2	
4-1/2 . . . . .	4.1		.7						2.0		.4	
5 AND BELOW												
ALL GRADES. . . . .	100.0	100.0	100.0	100.0	100.0	NO SAMPLES CLASSIFIED	100.0	100.0	100.0	100.0	100.0	100.0
LENGTH (INCHES)												
1-9/32 AND SHORTER. . . . .												
1-5/16 AND 1-11/32. . . . .												
1-3/8 AND 1-13/32. . . . .												
1-7/16 AND 1-15/32. . . . .	1.4		2.5	.2	.2		.1	5.1	.8	38.1	1.5	.1
1-1/2 AND 1-17/32. . . . .	48.9	43.0	36.8	34.5	9.5		4.4	94.9	28.8	61.4	23.7	25.4
1-9/16 AND LONGER . . . . .	49.7	56.5	60.1	64.5	90.3		95.5		70.4	.5	74.5	73.9
ALL LENGTHS . . . . .	100.0	100.0	100.0	100.0	100.0		100.0	100.0	100.0	100.0	100.0	100.0

\*LESS THAN 0.05 PERCENT.